

KENTUCKY · OHIO · INDIANA · TENNESSEE

Keith Moorman (859) 244-3231 KMOORMAN@FBTLAW.COM

DEC 2 8 2004

PUBLIC SERVICE COMMISSION

December 23, 2004

VIA ELECTRONIC MAIL AND U.S. MAIL

Beth O'Donnell, Esq. **Executive Director Public Service Commission** 211 Sower Boulevard P.O. Box 615 Frankfort, Kentucky 40602-0615

> NPCR, Inc. d/b/a Nextel Partners Re:

> > Case No. 2003-00143

Dear Ms. O'Donnell:

I am one of the attorneys for NPCR, Inc. d/b/a Nextel Partners ("Nextel Partners") in the above-referenced case, and I am writing in regard to the order entered in the case on December 16, 2004. Nextel Partners is very pleased with the order, but did notice three typographical errors in the "non-rural ILEC wire center" designations in Appendix A to the order. Specifically:

- In the "BellSouth" table, in column three, sixth line down, "UVLKYBE" should (1) be "LSVLKYBE";
- In the "Kentucky" table, column two, ninth line down, "GISGKYXA" should be "GLSGKYXA"; and
- In the "Kentucky" table, fifth column, eighth line down, "VNRGKYXA" should be VNBGKYXA."

Given that these are just minor typographical errors, and do not concern the bases for the order, it is my hope that the Commission might simply correct the typos without further proceedings; however, if you prefer that Nextel Partners make a formal request to modify the appendix to the order, please either consider this letter to be such a request, or let me know that you prefer I file some other paper.

Beth O'Donnell, Esq. December 23, 2004 Page 2

Thank you very much for your attention to this matter. Please let me know if you have any questions.

Yours truly,

Keith Moorman

Any cc: Beth Daugherty, Esq. (by electronic mail)


Lindsey W. Ingram, Jr., Esq. (by electronic mail and U.S. mail)

James Dean Liebman, Esq. (by U.S. Mail)

John Coleman, Esq. (by U.S. Mail)

Stephen R. Byars, Esq. (by U.S. Mail)





PUBLIC SERVICE COMMISSION

Public Service Commission

Beth O'Donnell, Esq. Executive Director 211 Sower Boulevard P.O. Box 615 Frankfort, KY 40602-0615